

## subtle - Feature #162

### Dynamic views

12/19/2010 01:37 PM - Jonathan Dahan

<b>Status:</b>	Fixed	<b>Start date:</b>	12/19/2010
<b>Priority:</b>	Urgent	<b>Due date:</b>	
<b>Assignee:</b>	Christoph Kappel	<b>% Done:</b>	100%
<b>Category:</b>	Feature	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			

#### Description

Add optional property dynamic for views. The documentation would look something like the following

```
#  
# == Views  
#  
# Views are the virtual desktops in subtle, they show all windows that share a  
# tag with them. Windows that have no tag will be visible on the default view  
# which is the view with the default tag or the first defined view when this  
# tag isn't set.  
#  
# === Properties  
#  
# Each view can behave differently with respect to tagged clients that it matches  
#  
# [*dynamic*] Defaults to false, if set true this view will be hidden when there  
# are no clients with a matching tag  
#  
# [*tags*] Match tags using regular expressions, just like when tagging clients  
#  
# === Link  
#  
# http://subforge.org/wiki/subtle/Tagging  
#  
  
view '0'  
view 'dev' do  
  tags 'terms|editor'  
  dynamic true  
end  
view 'read', 'pdf|browser'  
view 'gimp', 'gimp_.*'  
view 'down', 'torrent'
```

#### History

#1 - 12/19/2010 04:15 PM - Christoph Kappel

- Assignee set to Non member users

#2 - 12/19/2010 04:48 PM - Christoph Kappel

- Status changed from Unconfirmed to Fixed

- % Done changed from 0 to 100

Applied in changeset [r2428](#).